

CAÓSTAR™

TOP FEATURES AND BENEFITS

- 3D-MCAD/ECAD integration with IDF interface.
- Variant Manager allows one design to cover many application requirements or target markets.
- Shorter time-to-market with the intuitive Fluent[™] GUI, configurable menus, toolbars and macros.
- A scalable design solution that offers total flexibility to design simple or complex PCBs.
- Faster, more efficient design with block reuse and intelligent copy/paste to extract the maximum value from your design archive.
- Can be integrated with your corporate MRP/ERP via the ODBC-compliant database parts library.
- Unparalleled interactive and automatic placement and routing with on-line DRC.
- Outstanding performance, completion and manufacturability.
- Complete range of manufacturing formats.

Integrated Schematic and PCB Design - CADSTAR Basic

Introduction

CADSTAR Basic is Zuken's integrated schematic and PCB design solution that provides layout specialists with a comprehensive toolset for integrated 3D MCAD/ ECAD design.

CADSTAR is an intuitive Windows based program that is easy-to-use, fast and reduces design errors, helping you deliver effective designs in less time.

With industrial-strength technology from Zuken, one of the longest established suppliers in EDA, it has the breadth of capability and power you need to address today's demanding design challenges.

CADSTAR provides extensive functionality and performance at an affordable price. One third of the world's PCBs are designed using Zuken tools - why not join them?



CADSTAR Basic - Comprehensive integrated schematic and PCB design toolset incorporating integrated 3D MCAD/ECAD design.



A Familiar, Customisable, Powerful G.U.I.

Founded on the Microsoft[®] Office Fluent[™] user interface, familiar to millions of PC users worldwide, the CADSTAR G.U.I. is both powerful and intuitive, with configurable menus, toolbars, macros and shortcuts to make it your own.

The Multiple Document Interface lets you display any combination of application windows, making it easy to compare designs or copy data from one to the next. Dockable feature windows, such as libraries and dynamic properties, automatically minimise when not in use to ensure you retain the maximum screen area for your design data.

Save unnecessary key-clicks with strokes, a series of intuitive mouse actions that enhance pan and zoom capability, to speed up navigation around your design and rapidly realise your design goals.

Integrated System Design

CADSTAR's true connective data structure ensures that copy and paste intelligently re-assigns net names and reference designators to maintain electrical integrity of the design, when copying individual items or sets of data.

Company standards can be built in to user-defined templates: drawing borders, colour schemes, layer stacks, board finishes, manufacturer notes, etc., can all be incorporated within a design template to ensure consistency and repeatability. The suite of drawing and dimensioning tools, together with 'autosnap' functionality, is shared by all applications to simplify shape creation and editing of any design element.

Since CADSTAR is an integrated application there is no need to manage netlists or parts lists to link schematic and PCB layout – just one click and CADSTAR manages the binary transfer for you. Bi-directional cross-probing works as a placement aid and supports diagnostics on a completed design. This enables selection of any electrical item(s) in one window to automatically select and highlight the corresponding item in all other windows, with support for multiple monitors.



Integrated system design

ZUKEN®

Powerful Schematic Capture

CADSTAR seamlessly manages design connectivity across all levels of hierarchy and all sheets of a schematic, supporting any combination of sheets and blocks to organise and bring structure to even the most complex designs. Combined with intelligent design reuse, CADSTAR dramatically reduces the time to implement multi-channel designs and efficiently reuse proven circuit blocks.

Sheet Zones simplify navigation around your schematic with automated hyperlinks to track signal references through the schematic.

Libraries

Download a part from Zuken's massive online Library (more than 250,000 parts from over 30 major manufacturers, created to IPC7351 standards) then simply drag and drop parts from your library onto your design, making schematic generation fast and intuitive.

If you need to make your own parts, follow the stepby-step design wizards to create your own schematic symbols and PCB components (footprints), then create alternate representations for different standards, regions, documentation or assembly requirements to give your engineers more choice and add power and flexibility to your design process.

Build intelligence into your component library to prevent routes or vias being placed under components to avoid sensitive areas.



Zuken Online Library

You can also add any number of hyperlinks for documents, images, web pages, manufacturer's data sheets, etc., to parts within the library that propagate throughout the design process, giving engineers instant access to additional reference data.



Hyperlinks to external data sources



CADSTAR automatically keeps track of part, symbol and component versions used in your design, allowing you to confirm the validity of your project at any stage prior to manufacture. Store the parts library data in an ODBC-compliant database to allow real-time updates of attributes from your engineering or corporate database, then reload the library data to synchronise your design

Connectivity

Add point-to-point nets with automatic avoidance of obstacles or connect via busses and signal references, with implicit net connectivity throughout the design.

Capture design intent and rules within CADSTAR Schematic that are automatically annotated to the PCB design through forward engineering control. Route widths, component groups, spacing classes and a wide range of other attributes can be assigned by the design engineer, with the reassurance that they will automatically be accessible to the PCB layout specialist.

Report and Programming Options

CADSTAR provides a range of standard reports for DRC, electrical rule check, part lists, etc., plus a built-in report generator that lets you extract the data you need in a flexible format. 'Active' reports, such as design rule checks, include hyperlinks for instant navigation to the selected area of the design. If you need more power or want to customise the capabilities of CADSTAR further, the OLE Automation interface lets you manipulate the design and extend the core functionality by creating your own applications or programing your own functionality.

Design Comparison

Powerful and configurable Design Comparison will compare any combination of PCB to PCB, Schematic to Schematic or Schematic to PCB and report the list of differences.

Import and Export of DXF

Import symbol outlines, board profiles, critical placement and other complex geometry from your mechanical CAD systems using industry-standard DXF format, saving time and minimising rework. Export all or part of your design to DXF format for documentation or transfer to other applications.

Variants

Variant Manager allows alternate product configurations to be assigned to address product and regional requirements, while storing all of the information in a single Schematic and PCB design file. Variants can include both non-fitted and alternate parts, e.g. different resistor values.

÷)®[C:\C15_DemoData\versioning.h	tml	ρ.	🖸 🧭 Version Report 🛛 🗙 🎯 Parts List
Design:	- C:\C15_DemoData\C15DesignData\C15_Demo.scm			
Design Titl	le: Rainbov	/ II Schematic		bom.rep - Notepad
Date:	23 Janu	ary 2015		File Edit Format View Help
Time:	09:32			BOM for current Variant Variant Name: Master Variant Description: Rainbow II Schematic Name Part No Description
	Name	In Design	In Library	C39 C0805.104. 100nF 50V 20% CHIP CAP 0805
Part	J03.1734366-1	5	5	C68 C0805.104. 100nF 50V 20% CHIP CAP 0805 C78 C0805.104. 100nF 50V 20% CHIP CAP 0805
Symbol	CONNECTOR (EDGE)	1	1	C95 C0805.104. 100nF 50V 20% CHIP CAP 0805 C45 C0805.104. 100nF 50V 20% CHIP CAP 0805 C71 C0805.104. 100nF 50V 20% CHIP CAP 0805
Part	C0805.104.50.20	5	5	IC13 SEM.MIC277 Dual Micro-Power Low Voltage Supervisor R61 R0805.100K 100K 0805 METAL FILM 1%
Symbol	cuf	_		R50 R0805 2K2 2K2 0805 METAL FILM 1%
Manage Reports				
	Report Contents	Report Elements:		ort Contents:
Part	SEN Generator File Name: C:\\Current variant	Text Date		Text "BOM for current Variant"
Symbol	MO Open Save	Time	E De	elete Text "Variant Name:" Variant Name
	New Save As	New Line Variable	Re	place Text "Variant Description:" Variant Description
Part	SEN	Count	Dup	Dicate Text "Name Part No Description" Text "
Symbol	Details Print	Design Title Design Name	Ma	For Each Component (Component)
-,	Report Target	Design Units		Component.Part Name
	View Report	Origin		Up Component Part Description
Part	J01 Report to Printer	File Extension Line Wrap Indent	D	own Next
Symbol	CO Report To File	Variants		
	Max Line Length: 80	For Each		
Part	R04 Change File Name	Next		
		Ese		
Symbol	Res Run << Done	End If Component	-	
	Options Lists	Type		
Part	ROA Close Help	Name		
Symbol	Res	Reference Name		
2911001			enter an enter	TICET SEMINOUSE INVESTIGATION TO SEMINE IN

Standard and custom report



Placement, Routing and Manufacture

Layer-Stack Editor

Define your PCB layer stack, dielectric materials and spacings with a scaled cross-sectional representation detailing construction requirements, via styles and copper weights, then save the image to document the design.

Assisted Placement

Use the Auto Placement routines to logically organise components around the board, check space requirements for both sides of the PCB and quickly evaluate alternative locations for arrays of high pin count devices.

Replicating multiple channels in your designs? Just place the first group and CADSTAR will automatically select the correct components to complete the rest.

Alternatively, create a library of matching 'reuse blocks' for schematic and PCB, making best use of existing design elements in future designs. Simply add a circuit block to your schematic, transfer to PCB and load a predefined layout block including pre-placed components, tracks, copper and text. Whether you use it for multiple channel designs, critical analogue or RF circuit blocks, or just to replicate a commonly used layout pattern, Design Reuse will save you time and ensure repeatability of design.

Manufacturing Options

Suppression of inner layer pads provides more routing area on complex designs by automatically removing unconnected inner layer pad and via lands.

View slots as you would expect to see any standard drill hole. Once you have specified the slot dimensions and orientation the feature will be correctly reflected in the resulting NC drill program.

When joining multiple nets at one location CADSTAR automatically excludes DRC errors, allowing Star Points to be defined that merge disparate supply or ground nets, or allow sense lines to be intelligently defined.

IDF 3D-MCAD/ECAD Integration

The IDF Interface enables bi-directional transfer of board outlines, keepout areas and component placement data between CADSTAR PCB layout and your 3D MCAD system.



3D MCAD Visualisation



Layer Stack configurator



Place and Route Editor XR2000

The Place & Route Editor offers a powerful interactive, semi-automatic or automatic placement and routing environment that provides outstanding performance, high completion rates and manufacturability of the final design.

Routing modes include Activ45, memory pattern, orthogonal, 45 degree or free angle routing, optimisation (track and via) and a host of other features.

Online DRC (Design Rule Check) ensures that you maximise your productivity while providing assurance of routing an error free layout.

Copper Planes with Auto Re-Pour

Definition of multiple planes and copper areas is fast and easy, with the added benefit of an automatic re-pour mode to make sure copper is regenerated after moving components or editing tracks. This ensures the maximum copper area and optimum plane connectivity is achieved.

Batch Processing

Set up a single batch file for all of your design data requirements, and then all of your manufacturing outputs will be generated with a single mouse click. CADSTAR supports all industry standard formats such as Gerber 274X, NC Drill, ODB++ and IPC-D-356 plus custom reports and Bills of Materials.

Intelligent PDF

The intelligent PDF writer creates a searchable electronic document that contains part attributes from your library. Allow colleagues, customers and design partners to view and navigate around your design without the risk of any unintended changes.

Software Downloads

CADSTAR Express

A free download of CADSTAR Express is a quick and easy way for you to experience the basic features of CADSTAR. It includes all the functionality, limited to 300 pins and 50 components, plus the opportunity to experience Zuken's powerful Place & Route Editor XR 2000. In addition, you can view samples of CADSTAR Exchange, Zuken's online parts library.

CADSTAR Design Viewer

A free download of CADSTAR's design viewer gives easy viewing and sharing of schematic and PCB design data. This allows managers, project leaders, design partners and customers to plan or discuss projects and track and review progress.

For more information on all the tools and solutions available with CADSTAR, please visit www.zuken.com/CADSTAR



Feature List

General

- Native 32 bit Windows application
- Runs on Windows Vista, Windows 7, Windows 8 and Windows 10 (32 and 64 bit)
- True metric and imperial unit support
- Database resolution 0.001mm
- Rotation to 1/1000 degree
- Embedded or True Type fonts
- True connective data structure
- Unlimited pins per design

Interaction

- Multiple undo/redo
- Interactive drag and drop
- User definable toolbars, function keys and keyboard commands
- Comprehensive online help
- Tool tips
- Smart update
- Intelligent cut, copy and paste
- Access to the Zuken online libraries (with support contract)
- · Library Editor with symbol wizards
- Multiple library support, including ODBC-compliant parts database
- Customisable library attributes and intelligent hyperlinks
- Documentation (non-electrical) symbols
- Duplicate, transform and merge shapes
- Macro recorder and OLE automation
- · Active dialogs with dynamic properties
- Import of third party schematics and PCB layouts
- Cross-probing between schematic and PCB

Schematic

- Design templates
- Mixed flat sheet and hierarchical design with userdefinable sheet sizes
- · Zones with off-sheet references
- Parametric and graphical library browsers
- Autoroute connections with crossing avoidance
- Intelligent signal reference and power symbol allocation
- Star-point plane connectors
- Test points
- Binary transfer to PCB layout and back-annotation of changes
- Variant Manager

PCB Layout

- Layout templates
- Unlimited layers with user-defined layer structure and pad-stacks
- Blind and buried vias
- User-definable design origin
- Component areas (keep out, no vias)
- ECO update from Schematic
- Manual and automatic placement
- Positional rename
- Automatic pin and gate swap
- Measurement / dimension / drawing / alignment tools with AutoSnap feature
- Star-point plane connectors
- Test points
- Design Rules Check (spacing and manufacturing)
- Variant Manager
- IDF 3D MCAD/ECAD interface

Routing

- Grid-free routing
- · Interactive and semi-automatic routing
- Auto-necking to SMD pads
- Teardrops
- Support for split planes
- Automatic copper pour and re-pour
- Online DRC
- 90, 45 and free angle routing
- Routability analysis and report
- XR2000 L6 router (six layer autorouter)

Outputs

- Full range of manufacturing export formats
 Gerber, ODB++, Drill, DXF, IPC-D-356
- 'One click' batch processing
- Smart PDF output

Optional Modules

- Standalone schematic capture
- Constraint Browser for schematic capture
- Rules by area
- Place & Route Editor XR5000HS
- Dragon Autorouting platform
- CADSTAR FPGA
- BoardModeler Lite (3D)
- Signal Integrity Verify
- Power Integrity Advance.